Author Index

Recl. Trav. Chim. Pays-Bas **111**, 533-534 (1992)

Ansink (H.R.W.) and **Cerfontain (H.)**, Sulfonation of anisole, phenol, toluene and related alkyl and alkoxy derivatives with SO3. The influence of the solvent system on the reactivity and the sulfonic acid product distribution, 183
– and **Cerfontain (H.)**, Reactions of sulfur trioxide with benzene derivatives containing a deactivating oxy substituent, 215
–, **Graaf (E.J. de)**, **Zelvelder (E.)** and **Cerfontain (H.)**, Reaction of (di)methoxynaphthalenes and 2,3-(ethylenedioxy)naphthalene with sulfur trioxide, 499
Antonisse (A.J.J.), see: **Broek (L.A.G.M. van den)**
Aten (N.F.), see: **Haeringen (C.J. van)**
Bakker (B.H.), **Schonk (R.M.)** and **Cerfontain (H.)**, Reactions of β-sultones and carbyl sulfates with nucleophiles, 188
–, see also: **Schonk (R.M.)**
Baldoví(V.), **Corma (A.)**, **García (H.)**, **Iborra (S.)**, **Miranda (M.A.)** and **Primo (J.)**, Dual behaviour of sepiolites as single electron acceptors of Lewis acids: reactivity of two α-acetoxystyrenes adsorbed on a iron(III)-exchanged sepiolite, 126
Ballesta (J.P.G.), see: **Broek (L.A.G.M. van den)**
Balt (S.), see: **Gamelkoorn (H.J.)**
–, see also: **Gerards (L.E.H.)**
Baumer (L.), **Compagnari (I.)**, **Sala (G.)** and **Sello (G.)**, Erythronolide B: analysis of the synthesis pathway proposed by the Lilith program, 297
Bekkum (H. van), see: **Kaminska (J.)**
Bersohn (M.), see: **Dogane (I.)**
Bezemer (L.), see: **Brouwer (A.M.)**
Boer (J.S.A.M. de) and **Stam (C.H.)**, The influence of substituents on the geometry of the cyclopropane ring. VI. The molecular and crystal structures of cyclopropanecarboxylic acid and cyclopropanecarbonyl chloride, 407
Bolster (M.W.G. de), see: **Gamelkoorn (H.J.)**
Bont (H.B.A. de), **Boom (J.H. van)** and **Liskamp (R.M.J.)**, A convenient synthesis of a lipopeptide containing a diacylglycerol moiety: preparation of a potential inhibitor of protein kinase C, 222
Boom (J.H. van), see: **Bont (H.B.A.)**
–, see also: **Boons (G.J.P.H.)**
–, see also: **Elie (C.J.J.)**
–, see also: **Roelen (H.C.P.F.)**
–, see also: **Smid (P.)**
–, see also: **Verduyn (R.)**
–, see also: **Zuurmond (H.M.)**
Boons (G.J.P.H.), **Overhand (M.)**, **Marel (G.A. van der)** and **Boom (H.J. van)**, Synthesis of two branched heptopyranoside-(L,D-Hepp)-containing trisaccharides of the inner-core region of *Citrobacter PCM* 1487, 144
Bos (M.), see: **Doorn (A.R. van)**
Brabander-van den Berg (E.M.M. de), **Ippel (J.H.)**, **Lugtenburg (J.)** and **Jenneskens (L.W.)**, ^{1}H NMR conformational analysis of (3-aminopropyl)triethoxysylane, 451
Brandsma (L.), see: **Vasilevsky (S.F.)**
Broek (L.A.G.M. van den), **Antonisse (A.J.J.)**, **Ottenheijm (H.C.J.)**, **San Felix (A.)**, **Lázaro (E.)**, **Ballesta (J.P.G.)** and **Lelieveld (P.)**, Synthesis of sparsomycin derivatives, addressing its binding to the large ribosomal subunit, 163
Brounts (D.M.), see: **Elie (C.J.J.)**
Brouwer (A.M.), **Bezemer (L.)** and **Jacobs (H.J.C.)**, Steric perturbation of the conjugated triene chromophore. Conformational analysis of (*E*)- and (*Z*)-3-methyl-1,3,5-hexatriene and (*Z*)-3-*tert*-butyl-1,3,5-hexatriene, 138
Broxterman (H.J.G.), see: **Smid (P.)**
Brugghe (H.F.), see: **Roelen (H.C.P.F.)**
Bruggink (A.), see: **Leusen (F.J.J.)**
Bruins Slot (H.J.), see: **Leusen (F.J.J.)**
Brunink (J.A.J.), **Verboom (W.)**, **Engbersen (J.F.J.)**, **Harkema (S.)** and **Reinhoudt (D.N.)**, Synthesis and cation complexation selectivity of bis(syn-proximally) functionalized calix[4]arenes, 511
Cappon (J.J.), **Walle (G.A.M. van der)**, **Verdegem (P.J.E.)**, **Raap (J.)** and **Lugtenburg (J.)**, Synthesis of specifically stable-isotope-labeled L-proline via L-glutamic acid, 517
Caris (B.M.G.), see: **Verhart (C.G.J.)**
Cassels (B.K.), **Radetski (C.)** and **Rezende (M.C.)**, Regioselective ring opening by propanethiolate of (methylenedioxy)benzenes with electron-withdrawing substituents, 448
Cerfontain (H.), see: **Ansink (H.R.W.)**
–, see also: **Bakker (B.H.)**
–, see also: **Lindert (H.C.A. van)**
–, see also: **Schonk (R.M.)**
–, see also: **Stunnenberg (F.)**
Chittenden (G.J.F.), **see: Verhart (C.G.J.)**
Chodosh (D.F.), **Hill (J.)**, **Shpilsky (L.)** and **Mendelson (W.L.)**, SYNthesis LIBrary, an expert system for chemical-reaction knowledge-base management, 247
Cleij (M.C.), **Drenth (W.)** and **Nolte (R.J.M.)**, Mechanism of enantioselective ester cleavage by histidine-containing peptides at a micellar interface. 2. Effect of changing peptide chain length, 459
Compagnari (I.), see: **Baumer (L.)**
Corey (E.J.), **Long (A.K.)**, **Lotto (G.I.)** and **Rubenstein (S.D.)**, Computer-assisted synthetic analysis. Quantitative assessment of transform utilities, 304
Corma (A.), see: **Baldoví (V.)**
Cornelisse (J.), see: **Haeringen (C.J. van)**
Dam (K. van), see: **Spijker-Assink (M.B.)**
Dengler (A.), **Fontain (E.)**, **Knauer (M.)**, **Stein (N.)** and **Ugi (I.)**, Competing concepts in CAOS, 262
Dienst (E. van), see: **Legters (J.)**
Dogane (I.), **Takabatake (T.)** and **Bersohn (M.)**, Computer-executed synthesis planning, a progress report, 291
Doorn (A.R. van), **Rushton (D.J.)**, **Bos (M.)**, **Verboom (W.)** and **Reinhoudt (D.N.)**, Molecular recognition of neutral molecules by rigid binaphthyl metalloclefts: synthesis, complexation and calculations, 415
–, **Rushton (D.J.)**, **Straaten-Nijenhuis (W.F. van)**, **Verboom (W.)** and **Reinhoudt (D.N.)**, Molecular recognition of barbiturates by a metalloreceptor, 421
Doorn (J.A. van) and **Meijboom (N.)**, Reductive cleavage of the carbon-phospohorus bond with alkali metals, 170
Dreef (C.E.), see: **Elie (C.J.J.)**
–, see also: **Verduyn (R.)**
Drenth (W.), see: **Cleij (M.C.)**
Driessen (W.L.), see: **Verweij (P.D.)**
Ebens (R.), see: **Sjouken (R.)**
Echten (E. van), see: **Leusen (D. van)**
Elie (C.J.J.), **Brounts (D.M.)**, **Dreef (C.E.)**, **Marel (G.A. van der)** and **Boom (J.H. van)**, Synthesis of phosphatidylinositol analogs containing sulfonylmethylene or methyleneoxy linkages, 192
Elst (H. van den), see: **Roelen (H.C.P.F.)**
Engbersen (J.F.J.), see: **Brunink (J.A.J.)**
Fic (G.), see: **Hippe (Z.S.)**
Fontain (E.), see: **Dengler (A.)**
Gamelkoorn (H.J.), **Bolster (M.W.G. de)** and **Balt (S.)**, Pressure effects as mechanistic probes for homolytic thermal cobalt-carbon bond cleavage of cobalamins, 178
García (H.), see: **Baldoví (V.)**
Gasteiger (J.), **Ihlenfeldt (W.D.)** and **Röse (P.R.)**, A collection of computer methods for synthesis design and reaction prediction, 270
Gen (A. van der), see: **Steeg (M. van der)**
Gerards (L.E.H.) and **Balt (S.)**, Acid induced decomposition of coenzyme B_{12} and variants, 411
Goubitz (K.), see: **Stunnenberg (F.)**
Graaf (E.J. de), see: **Ansink (H.R.W.)**
Groen (B.H.), see: **Spijker-Assink (M.B.)**
Groesbeek (M.), **Robijn (G.W.)** and **Lugtenburg (J.)**, Synthesis and spectroscopic characterization of the doubly locked 9*E*,11*Z* retinal model systems 7*E*,13*E*-11,19-10,20-dimethanoretinal and its 13 *Z* isomer, 92
–, **Rood (G.A.)** and **Lugtenburg (J.)**, Synthesis of (12,13-$^{13}C_2$)retinal and (13,14-$^{13}C_2$)retinal: a strategy to prepare multiple-^{13}C-labeled conjugated systems, 149
Haanepen (M.J.), see; **Verweij (P.D.)**
Haeringen (C.J. van), **Aten (N.F.)**, **Cornelisse (J.)** and **Lugtenburg (J.)**, Synthesis and characterisation of nitro-, nitroso- and aminofluoranthenes, 335
Haest (A.D. van der), see: **Leusen (F.J.J.)**
Hamm (P.), **Jauffret (P.)** and **Kaufmann (G.)**, Generalization and representation of synthesis pathways in the COSYMA system, 317
Harkema (S.), see: **Brunink (J.A.J.)**
Heida (J.F.), see; **Loon (J.-D. van)**
Hendrickson (J.B.), Descriptions of reactions: their logic and applications, 323
Heydenrijk (D.), see: **Stunnenberg (F.)**
Hiemstra (H.), see: **Roos (E.C.)**
Hill (J.), see: **Chodosh (D.F.)**
Hippe (Z.S.), **Fic (G.)** and **Mazur (M.)**, A preliminary appraisal of selected problems in computer-assisted organic synthesis, 255
Hissink (C.E.), see: **Knight Castro (H.H.)**
Hoefnagel (A.J.), **Vos (R.H. de)** and **Wepster (B.M.)**, Substituent effects. 14. Anomalous dissociation constants in water-organic solvent mixtures: benzylammonium ions and related systems, 22
–, see also: **Kaminska (J.)**
Iborra (S.), see: **Baldoví (V.)**
Ihlenfeldt (W.D.), see: **Gasteiger (J.)**
Ippel (J.H.), see: **Spijker-Assink (M.B.)**
–, see also: **Brabander-van den Berg (E.M.M.)**
Jacobs (H.J.C.), see: **Brouwer (A.M.)**
Jastrzebski (J.T.B.H.), see: **Kleijn (H.)**
Jauffret (P.), see: **Hamm (P.)**
Jenneskens (L.W.), **Verhey (H.J.)**, **Ramesdonk (H.J. van)**, **Verhoeven (J.W.)**, **Malssen (K.F. van)** and **Schenk (H.)**, Intramolecular charge-transfer fluorescence of 1-phenyl-4-[(4-cyano-1-naphthyl)methylene]piperidine (fluoroprobe) as a sensor for phase transitions in the solid state, 507
Jenneskens (L.W.), see: **Brabander-van den Berg (E.M.M.)**
Johnson (A.P.), **Marshall (C.)** and **Judson (Ph.N.)**, Some recent progress in the development of the LHASA computer system for organic synthesis design: Starting-material-oriented retrosynthetic analysis, 310
Judson (Ph.N.), see: **Johnson (A.P.)**
Kaminska (J.), **Schwegler (M.A.)**, **Hoefnagel (A.J.)** and **Bekkum (H. van)**, The isomerization of α-pinene oxide with Brønsted and Lewis acids, 432
Kamphuis (J.), see: **Moorlag (H.)**
–, see also: **Roos (E.C.)**
Kaptein (B.), see: **Moorlag (H.)**
–, see also: **Roos (E.C.)**
Kaufmann (G.), see: **Hamm (P.)**
Kellogg (R.M.), see: **Moorlag (H.)**
–, see also: **Sjouken (R.)**
Kieboom (A.P.G.), see: **Smeets (J.W.H.)**
–, see also: **Wit (D. de)**
Kleijn (H.), **Maanen (H.L. van)**, **Jastrzebski (J.T.B.H.)** and **Koten (G. van)**, Diastereo- and enantio-selective synthesis of *trans*-3-phenyl- and *trans*-3-styryl-2-azetidinones via zinc ester enolates and imines, 497
Klein (J.C.), see: **Roelen (H.C.P.F.)**
Klein (P.A.M. van der), see: **Zuurmond (H.M.)**

Knauer (M.), see: **Dengler (A.)**
Knight Castro (H.H.), Hissink (C.E.), Teuben (J.H.) and **Vaalburg (W.)**, Some new cationic di- and tricarbonyl complexes of technetium(I), 105
Koeberg-Telder (A.), see: **Lindert (H.C.A. van)**
Koten (G. van), see: **Kleijn (H.)**
Lagas (R.M.), see: **Verduyn (R.)**
Lazáro (E.), see: **Broek (L.A.G.M. van den)**
Legters (J.), Thijs (L.) and **Zwanenburg (B.)**, A convenient synthesis of aziridine-2-carboxylic esters, 1
–, **Dienst (E. van), Thijs (L.)** and **Zwanenburg (B.)**, Synthesis of β-amino α-hydroxy carboxylic esters from oxiranecarboxylic esters, 69
–, **Thijs (L.)** and **Zwanenburg (B.)**, Synthesis of functionalized phenylalanine derivatives by ring opening reactions of 3-arylaziridine-2-carboxylic esters, 16
–, **Thijs (L.)** and **Zwanenburg (B.)**, Conversion of aziridine-2-carboxylic esters into 2*H*-azirine-2-carboxylic esters, 75
–, **Thijs (L.)** and **Zwanenburg (B.)**, Preparation of bicyclic boroxazolidones from aziridine-2-carboxylic esters, 211
–, **Willems (J.G.H.), Thijs (L.)** and **Zwanenburg (B.)**, Synthesis of functionalized amino acids by ring-opening reactions of aliphatically substituted aziridine-2-carboxylic esters, 59
Lelieveld (P.), see: **Broek (L.A.G.M. van den)**
Leusen (A.M. van), see: **Leusen (D. van)**
Leusen (D. van), Echten (E. van) and **Leusen (A.M. van)**, Synthesis of 20-oxo steroids, 469
Leusen (F.J.J.), Bruins Slot (H.J.), Noordik (J.H.), Haest (A.D. van der), Wynberg (H.) and **Bruggink (A.)**, Towards a rational design of resolving agents. Part IV. Crystal packing analyses and molecular mechanics calculations for five pairs of diastereomeric salts of ephedrine and a cyclic phosphoric acid, 111
Li (H.) and **Noble (W.J. le)**, Competing concepts in electronic control of face selection, 199
Lie (T.S.), see: **Woudenberg (R.H.)**
Lindert (H.C.A. van), Koeberg-Telder (A.) and **Cerfontain (H.)**, Sulfonation of [2.2]paracyclophane; structures and modes of formation of the products, 379
Liskamp (R.M.J.), see: **Bont (H.B.A. de)**
Long (A.K.), see: **Corey (E.J.)**
Loon (J.-D. van), Heida (J.F.), Verboom (W.) and **Reinhoudt (D.N.)**, Calix[4]arenes as building blocks for molecular receptors, 353
Lotto (G.), see: **Corey (E.J.)**
Lugtenburg (J.), see: **Brabander-van den Berg (E.M.M.)**
–, see also: **Cappon (J.J.)**
–, see also: **Groesbeek (M.)**
–, see also: **Haeringen (C.J. van)**
–, see also: **Spijker-Assink (M.B.)**
Maanen (H.L. van), see: **Kleijn (H.)**
Maat (L.), see: **Wit (D. de)**
–, see also: **Woudenberg (R.H.)**
Malssen (K.F. van), see: **Jenneskens (L.W.)**
Mangnus (E.M.) and **Zwanenburg (B.)**, Synthesis and biological evaluation of A-ring analogs of the natural germination stimulant strigol, 155
Marel (G.A. van der), see: **Boons (G.J.P.H.)**
–, see also: **Elie (C.J.J.)**
–, see also: **Roelen (H.C.P.F.)**
–, see also: **Smid (P.)**
–, see also: **Verduyn (R.)**
–, see also: **Zuurmond (H.M.)**
Marshall (C.), see: **Johnson (A.P.)**
Mazur (M.), see: **Hippe (Z.S.)**
Meer (P.H. van der), see: **Zuurmond (H.M.)**
Meijboom (N.), see: **Doorn (J.A. van)**
Mendelson (W.L.), see: **Chodosh (D.F.)**
Mijs (W.J.), see: **Schotman (A.H.M.)**
Miranda (M.A.), see: **Baldoví (V.)**
Moorlag (H.), Vries (J.G. de), Kaptein (B.), Schoemaker (H.E.), Kamphuis (J.) and **Kellogg (R.M.)**, Palladium-catalyzed allylation of α-hydroxy acids, 129
Muzart (J.), see: **Riahi (A.)**
Noble (W.J. le), see: **Li (H.)**
Nolte (R.J.M.), see: **Cleij (M.C.)**
Noordik (J.H.), see: **Leusen (F.J.J.)**
–, see also: **Ott (M.A.)**
Noort (D.), see: **Smid (P.)**
Oosterhoff (B.E.), see: **Woudenberg (R.H.)**
Ott (M.A.) and **Noordik (J.H.)**, Computer tools for reaction retrieval and synthesis planning in organic chemistry, 239
Ottenheijm (H.C.J.), see: **Broek (L.A.G.M. van den)**
Overhand (M.), see: **Boons (G.J.P.H.)**
Pete (J.-P.), see: **Riahi (A.)**
Primo (J.), see: **Baldoví (V.)**
Raap (J.), see: **Cappon (J.J.)**
Radetski (C.), see: **Cassels (B.K.)**
Ramesdonk (H.J. van), see: **Jenneskens (L.W.)**
Rantwijk (F. van), see: **Wit (D. de)**
Reedijk (J.), see: **Verweij (P.D.)**
Reinhoudt (D.N.), see: **Doorn (A.R. van)**
–, see also: **Loon (J.-D. van)**
–, see also: **Brunink (J.A.J.)**
Rexwinkel (R.B.), see: **Stunnenberg (F.)**
Rezende (M.C.), see: **Cassels (B.K.)**
Riahi (A.), Muzart (J.) and **Pete (J.-P.)**, Diels-Alder cycloadditions: 3-(*p*-toluenesulfonyl)-2-propenal as dienophile, 345
Ridder (J.J. de), see: **Verweij (P.D.)**
Robijn (G.W.), see: **Spijker-Assink (M.B.)**
–, see also: **Groesbeek (M.)**
Roelen (H.C.P.F.), Brugghe (H.F.), Elst (H. van den), Marel (G.A. van der) and **Boom (J.H. van)**, Solid-phase synthesis of oligodeoxynucleotides containing 4-alkoxythymidine residues, 99
–, **Brugghe (H.F.), Elst (H. van den), Klein, (J.C.), Marel (G.A. van der)** and **Boom (J.H. van)**, Solid-phase synthesis of oligodeoxynucleotides containing 6-O-alkylguanosines, 227
Rood (G.A.), see: **Groesbeek (M.)**
Roos (E.C.), Hiemstra (H.), Speckamp (W.N.), Kaptein (B.), Kamphuis (J.) and **Schoemaker (H.E.)**, Lewis-acid-induced reactions of α-methoxyglycinamide derivatives with silyl enol ethers. Formation of 3-amino-2-pyrrolidinones and 3-amino-2-pyrrolinones, 360
Röse (P.R.), see: **Gasteiger (J.)**
Rubenstein (S.D.), see: **Corey (E.J.)**
Rushton (D.J.), see: **Doorn (A.R. van)**
Sala (G.), see: **Baumer (L.)**
San Felix (A.), see: **Broek (L.A.G.M. van den)**
Schenk (H.), see: **Jenneskens (L.W.)**
Schoemaker (H.E.), see: **Moorlag (H.)**
–, see also: **Roos (E.C.)**
Schonk (R.M.), Bakker (B.H.) and **Cerfontain (H.)**, Reactions of styrene and derivatives with sulfur trioxides; characterization and chemistry of the initial products, 49
–, **Bakker (B.H.)** and **Cerfontain (H.)**, Reactions of ω-phenylalkenes with sulfur trioxide; sulfonation and Friedel-Crafts type of cyclization, 389
–, **Bakker (B.H.)** and **Cerfontain (H.)**, Reactions of alkenoic acids with sulfur trioxide; sulfonation and sulfo-lactonization, 478
–, see also: **Bakker (B.H.)**
Schotman (A.H.M.) and **Mijs (W.J.)**, Carbodiimides as important intermediates in the reaction of isocyanates with carboxylic acids, 88
Schreurs (H.), see: **Steeg (M. van der)**
Schwegler (M.A.), see: **Kaminska (J.)**
Sello (G.), see: **Baumer (L.)**
Shpilsky (L.), see: **Chodosh (D.F.)**
Sjouken (R.), Ebens (R.) and **Kellogg (R.M.)**, Near absolute regio-, diastereo-, and enantioselectivity in a palladium catalyzed alkylation using an uncommon chiral auxiliary, 161
Smeets (J.W.H.) and **Kieboom (A.P.G.)**, Enzymatic enantioselective ester hydrolysis by carboxylesterase NP, 490
Smid (P.), Noort (D.), Broxterman (H.J.G.), Straten (N.C.R. van), Marel (G.A. van der) and **Boom (J.H. van)**, Synthesis of L-glucose derivatives from D-glucose and L-arabinose, 524
Speckamp (W.N.), see: **Roos (E.C.)**
Spijker-Assink (M.B.), Robijn (G.W.), Ippel (J.H.), Lugtenburg (J.), Groen (B.H.) and **Dam (K. van)**, (1*R*)- and (1*S*)-5-demethyl-8,16-methanobacteriorhodopsin and its properties. The synthesis and spectroscopy of 5-demethyl-8,16-methanoretinal in optically active and isotopic forms, 29
Stam (C.H.), see: **Stunnenberg (F.)**
–, see also: **Boer (J.S.A.M. de)**
Steeg (M. van der), Zorgdrager (J.), Schreurs (H.) and **Gen (A. van der)**, Synthesis of mitosenes from *N*-aryl-2-(diphenylphosphinyl)pyrrolidines, 402
Stein (N.), see: **Dengler (A.)**
Straaten-Nijenhuis (W.F. van), see: **Doorn (A.R. van)**
Straten (N.C.R.), see: **Smid (P.)**
Stunnenberg (F.), Cerfontain (H.), Goubitz (K.), Heydenrijk (D.) and **Stam (C.H.)**, UV spectroscopy and structures of α-bis(methoxyimino)alkanes, 41
–, and **Cerfontain (H.)**, Photochemistry of a-bis(methoxyimino)alkanes, 79
–, **Cerfontain (H.)** and **Rexwinkel (R.B.)**, Spectroscopy and photochemistry of a series of alkyl-substituted *o*- and *p*-benzoquinones and their mono-oxime O-methyl ethers, 438
Takabatake (T.), see: **Dogane (I.)**
Teuben (J.H.), see: **Knight Castro (H.H.)**
Thijs (L.), see: **Legters (J.)**
Ugi (I.), see: **Dengler (A.)**
Unen (L.M.A. van), see: **Wit (D. de)**
Vaalburg (W.), see: **Knight Castro (H.H.)**
Vasilevsky (S.F.), Verkruijsse (H.D.) and **Brandsma (L.)**, Unusually sluggish copper(I)catalyzed oxidative dimerization of 2-ethynyl-1-methylpyrrole, 529
Verboom (W.), see: **Brunink (J.A.J.)**
–, see also: **Doorn (A.R. van)**
–, see also: **Loon (J.-D. van)**
Verdegem (P.J.E.), see: **Cappon (J.J.)**
Verduyn (R.), Lagas (R.M.), Dreef (C.E.), Marel (G.A. van der) and **Boom (J.H. van)**, Synthesis of a highly unsaturated fatty moiety of lipo oligosaccharides determining host-specificity in *rhizobium*, 367
Verhart (C.G.J.), Caris (B.M.G.), Zwanenburg (B.) and **Chittenden (G.J.F.)**, Acetalation studies. Part IX. Reaction of sucrose and some related sugars with acetone in the presence of iodine; a novel cleavage-isopropylidenation method, 348
Verhey (H.J.), see: **Jenneskens (L.W.)**
Verhoeven (J.W.), see: **Jenneskens (L.W.)**
–, see also: **Williams (R.M.)**
Verkruijsse (H.D.), see: **Vasilevsky (S.F.)**
Verweij (P.D.), Haanepen (M.J.), Ridder (J.J. de), Driessen (W.L.) and **Reedijk (J.)**, Synthesis, characterization and metal-uptake behaviour of pyrazole ligands immobilized on silica, 371
Vos (R.H. de), see: **Hoefnagel (A.J.)**
Vries (J.G. de), see: **Moorlag (H.)**
Walle (G.A.M. van der), see: **Cappon (J.J.)**
Wepster (B.M.), see: **Hoefnagel (A.J.)**
Willems (J.G.H.), see: **Legters (J.)**
Williams (R.M.) and **Verhoeven (J.W.)**, Supramolecular encapsulation of C_{60} in a water soluble calixarene; a core-shell charge transfer complex, 531
Wit (D. de), Unen (L.M.A. van), Rantwijk (F. van), Maat (L.) and **Kieboom (A.P.G.)**, Synthesis of chiral 4-pyrazolol derivatives starting from D-glucose, 427
Woudenberg (R.H.), Oosterhoff (B.E.), Lie (T.S.) and **Maat (L.)**, Synthesis of 5β-alkylthebaines, 5β-alkyl-10α-ethylthebaines and 5β,10α,10β-triethylthebaine; Diels-Alder reactions to 5β-alkyl- and 5β-alkyl-10α-ethyl-6α,14α-ethenoisomorphinans (chemistry of opium alkaloids, Part XXXVI), 119
Wynberg (H.), see: **Leusen (F.J.J.)**
Zelvelder (E.), see: **Ansink (H.R.W.)**
Zorgdrager (J.), see: **Steeg (M. van der)**
Zuurmond (H.M.), Klein (P.A.M. van der), Meer (P.H. van der), Marel (G.A. van der) and **Boom (J.H. van)**, Iodonium ion-mediated glycosidations of phenyl selenoglycosides, 365
Zwanenburg (B.), see: **Legters (J.)**
–, see also: **Mangnus (E.M.)**
–, see also: **Verhart (C.G.J.)**

Subject Index

Recl. Trav. Chim. Pays-Bas **111**, 535-538 (1992)

ab initio, see quantum chemistry
acetalation, carbohydrates by acetone, 348
acetic acid, phenyl ester, + SO_3, 215
α-acetoxystyrenes, on sepiolites, 126
acetylenes, Cu-catalyzed oxidative dimerization, 529
***N*-acyliminium ion,** methoxyglycinamides + silyl enol ethers, 360
acylurea, in isocyanates + carboxylic acids, 88
adamantanone, in electronic control of face selection, review, 199
adsorption, metal ions on pyrazole/silica, 371
alanine esters, *N*-aryl–, hydrolysis by carboxylesterase NP, 490
alkaloids, alkylthebaines, 119
alkenes, -phenyl–, sulfonation, 389
alkenoic acids, sulfonation, 478
***N*-(alkoxycarbonyl)-2-aziridinecarboxylic esters,** 59
π-allyl, in alkylation of α-hydroxy acids, 129; in Pd-catalyzed alkylation, 161
alpha effect, methoxyglycinamides + silyl enol ethers, 360
amides, from isocyanates + carboxylic acids, 88
α-amino acids, from 2-aziridinecarboxylic ester, 16, 59; methoxyglycinamides + silyl enol ethers, 360; from 2-oxiranecarboxylic esters, 69; phenylalanines, 16; labeled L-proline and L-glutamic acid, 517; thesis, 160
α-amino carboxylic esters, α-hydroxy, from 2-oxiranecarboxylic esters, 69
3-amino-2-pyrrolidinones, from α-methoxyglycinamides, 360
aminofluoranthenes, 335
(3-aminopropyl)triethoxysilane, 1H NMR, 451
ammonia, liquid, in P–C cleavage, 170
Anh, model of electronic control of face selection, review, 199
anisole, + SO_3, 183
anti-tumor, sparsomycin, antibiotic, 163
antibiotic, sparsomycin, 163
antipode, see chirality
aphidicolin, CAOS synthesis design by LHASA, 304
L-arabinose, for L-glucose derivs., 524
asymmetry, see chirality
2-azetidinones, enantioselective synthesis, 497
azides, 2-aziridinecarboxylic esters, 1; 2-aziridinecarboxylic ester, ring cleavage, 59; 2-oxiranecarboxylic esters, ring cleavage, 69
azidophenyl, for sparsomycins, 163
2-aziridinecarboxylic esters, to 2-azirinecarboxylic esters, 75; for bicyclic boroxazolidones, 211; for phenylalanines, 16; 1; for functionalized amino acids, 59
2*H*-azirine-2-carboxylic esters, from 2-aziridinecarboxylic esters, 75
bacteriorhodopsin, methano–, 29
barbiturates, calix[4]arene as receptor for –, 353, 421
benzenethiol, + 2-aziridinecarboxylic esters, 16, 59
1,3-benzodioxole, ring opening by PrS^-, 448
benzoquinones, UV and photochemistry of *o*- and p^- –, 438
benzylammonium ions, dissociation, 22
[(benzyloxy)methyl]lithium, for L-glucose derivs., 524
bicyclic boroxazolidones, from 2-aziridinecarboxylic esters, 211
bilateral CAOS, 262
binaphthyl metalloclefts, molecular recognition, 415
Birch reduction, P–C cleavage, 170
α-bis(methoxyimino)alkanes, 41; photochemistry, 79
bond-electron matrices, CAOS synthesis design, 262
book reviews, CAOS: structure elucidation and simulation of organic reactions, 370; carbon disulfide in organic synthesis, 238; carboxylic acid derivs., 198; chiral separation by liquid chromatography, 370; computer modeling of carbohydrate molecules, 110; crown ethers, 456; electron-deficient boron and carbon clusters, 496; enantioselective synthesis, 457; fullerenes, 413; heterocyclic chemistry, 198; high-pressure organic chemistry, 236; isoxazoles, 369; mass spectrometry in biology, 533; molecular chirality, 109; naming organic compounds, 236; natural product chemistry, 455; one- and two-dimensional NMR, 110; organic-reaction mechanisms, 413; organic reactions, vol. 40, 238; organic synthesis, vol. 68, 109; organic synthesis, vol. 69, 457; organophosphorus IR spectra, 496; polarity control for synthesis, 237; protective groups in organic synthesis, 455; quinolines, 369; Rodd's chemistry: aliphatic compds., 237; transport in membranes, 456
borane, triethyl–, for bicyclic boroxazolidones, 211
boron clusters, electron deficiency, book, 496
boroxazolidones, bicyclic, from 2-aziridinecarboxylic esters, 211
***N*-bromination,** 2-aziridinecarboxylic esters, 75
Buckminster fullerene (C_{60}), encapsulated by calix[8]arene, 531
tert-butanol, benzylammonium ions, dissociation in *tert*-butanol/water, 22
1-butene, 4-phenyl-–, sulfonation, 389
tert-butyl hypochlorite, for 2-azirinecarboxylic esters, 75
C_{60} (Buckminster fullerene), encapsulated by calix[8]arene, 531
cage molecules, see host–guest chemistry
calculation, binaphthyl metalloclefts, 415; metalloreceptors, 421
calix[4]arenes, 353, 511; thesis, 235; conformation, thesis, 197
calix[8]arene, Buckminster fullerene (C_{60}), encapsulation, 531
campholenic aldehyde, from α-pinene oxide, 432
CAOS, see Recl. Trav, Chim. Pays-Bas **111**(6), 239–334 (1992); appraisal, 255; competing concepts, 262; COSYMA, 317; erythronolide synthesis, 297; LHASA, 310; organic synthesis, computer tools, review, 239; reaction description, 323; structure elucidation and simulation of organic reactions, book, 370; SYNLIB, 247; synthesis design, 291; synthesis-design overview, 270; transform utilities, 304
carbodiimides, in isocyanates + carboxylic acids, 88
carbohydrates, acetalation, 348; computer modeling, book, 110; L-glucose derivs., 524; glucose for chiral 4-pyrazolol, 427; heptopyranoside-contg. trisaccharides, 144; lipo oligosaccharides, highly unsaturated fatty acid derivs., 367; oxidation using noble-metal catalysts, thesis, 160; seleno-glycosides, iodonium-mediated glycosidation, 365
carbon clusters, electron deficiency, book, 496
carbon disulfide, in organic synthesis, book, 238
carbon monoxide, insertion in Pd–C, thesis, 414
carboxamides, from isocyanates + carboxylic acids, 88
carboxylesterase NP, for ester hydrolysis, 490
carboxylic acids, derivs., book, 198; + isocyanates, 88
carbyl sulfates, from SO_3 + alkenoic acids, 478; from –phenylalkenes, 389; 18849
CASD, computer-assisted synthesis design, see CAOS
catalysis, acetalation by iodine, 348; α-acetoxystyrenes on sepiolites, 126; alkylation of α-hydroxy acids by Pd, 129; aromatic nucleophilic substitutions by Cu, Pd, Ni, thesis, 414; carbohydrates oxidation using noble-metal catalysts, thesis, 160; 2-ethynyl-1-methylpyrrole, dimerization by Cu, 529; for α-hydroxy acids, thesis, 160; isocyanates + carboxylic acids, 88; α-pinene oxide, isomerization, 432; selenoglycosides, iodonium-mediated glycosidation, 365
cavity, calix[4]arenes, 353, 511
CD, see circular dichroism
charge transfer (CT), Buckminster fullerene (C_{60}) encapsulated by calix[8]-arene, 531; fluoroprobe fluorescence, 507
chelation, see complexation
chirality, 2-aziridinecarboxylic esters, 1; book, 109; boroxazolidones, bicyclic, conservation, 211; enantioselective ester cleavage by histidine-contg. peptides, 459; ephedrine cyclic phosphates, 111, 414; ester hydrolysis by carboxylesterase NP, 490; α-hydroxy acids, thesis, 160; methanoretinal, 29; in Pd-catalyzed alkylation, 161; 4-pyrazolol derivs., 427; separation by liquid chromatography, book, 370
chloramphenicol, CAOS synthesis design, 291
***N*-chlorination,** 2-aziridinecarboxylic esters, 75
chloromethyl sulfoxides, for sparsomycins, 163
chromatography, see also high-pressure liquid chromatography; liquid chromatography, chirality, book, 370
Cieplak, model of electronic control of face selection, review, 199
circular dichroism (CD), methanoretinal, 29
citral, for strigol-A analogs, 155
citronellol, as starting material in retrosynthetic search by LHASA (CAOS), 310
clay, sepiolites: single-electron acceptor or Lewis acid, 126
cleavage, see also ring opening; esters, by histidine-contg. peptides, enantioselectivity, 459; isopropylidenation, 348
cleft, molecular, calix[4]arenes, 353, 511
clefts, metallo–, molecular recognition, thesis, 235; molecular recognition, 415
cobalamin, Co–C cleavage, 178; coenzyme B_{12}, acid-induced decompn., 411
cobalt, coenzyme B_{12}, acid-induced decompn., 411
coenzyme B_{12}, acid-induced decompn., 411
complexation, metal ions on pyrazole/silica, 371;
by binaphthyl metalloclefts, 415; by metalloreceptors, 421; calix[4]arenes, 353, 511
computational chemistry, see also CAOS; on ephedrine cyclic phosphates, 111, 414; on 1,3,5-hexatrienes, 138
computer modeling, carbohydrate molecules, book, 110
computer-assisted organic synthesis, see CAOS
cone molecules, calix[4]arenes, 353, 511
conformation, (3-aminopropyl)triethoxysilane, 451; calixarenes, thesis, 197; enantioselective ester cleavage by histidine-contg. peptides, 459; face selection, electronic control, review, 199; 1,3,5-hexatrienes, 138; methoxy-naphthalenesulfonic acids, 499
control, face selection, electronic, review, 199
convergence strategy, CAOS, 297
coordination, in tantalum alkylidene complexes, thesis, 235
copper, adsorption, 371; aromatic nucleophilic substitutions, catalysis, thesis, 414
CORREL-S, CAOS synthesis design, 262
COSYMA, CAOS, 317
crown ethers, book, 456
crystal structure, calix[4]arenes, 511; cyclopropanecarbonyl chloride, 407; cyclopropanecarboxylic acid, 407; ephedrine cyclic phosphates, 111, 414; bis(methoxyimino)alkanes, 41; 5-norbornene-2,3-dicarboxylic anhydride β-sultone, 478; [2.2]paracyclophanesulfonates, 379
CT, see charge transfer
cyano-1-naphthyl)methylene]piperidine, 4-[(1-phenyl-4-–, fluorescence, charge transfer, 507
2-cyanoethyl phosphoramidites, in oligodeoxynucleotides, solid-phase synthesis, 99
cyclic phosphates, ephedrine, crystal packing and molecular mechanics, 111, 414
cycloaddition, to ethenoisomorphinans, 119
cyclohexanone, in electronic control of face selection, review, 199
cyclohexyl hydroperoxide, decompn. by metalloporphyrins, thesis, 160
cyclopropanecarbonyl chloride, crystal structure, 407
cyclopropanecarboxylic acid, crystal structure, 407

cystine, for sparsomycins, 163
DABCO, see 1,4-diazabicyclo[2.2.2]octane
database system, chemical, see also CAOS; CHIRON, database of chemical reactions, 270; transform utilities, LHASA, 304; SYNLIB, 247
DBU, see 1,8-diaza[5.4.0]undec-7-ene
ddaH, bis[2-[3,5-dimethyl-1-pyrazolyl)ethyl]amine immobilization on silica, 371
α,β-diamino acids, from 2-aziridinecarboxylic ester, 59
diastereoselectivity, in Pd-catalyzed alkylation, 161; hydroxymethylation, to heptopyranoside, 144; sultones, carbyl sulfates, ring opening, 188
1,4-diazabicyclo[2.2.2]octane (DABCO), for 2-azirinecarboxylic esters, 75
1,8-diazabicyclo[5.4.0]undec-7-ene (DBU), for 2-azirinecarboxylic esters, 75; dimerizing 2-ethynyl-1-methylpyrrole by Cu, 529; oligodeoxynucleotides, assisted substitution in solid-phase synthesis, 99
Diels–Alder reaction, to ethenoisomorphinans, 119; CAOS synthesis design by LHASA, 304; 3-(toluenesulfonyl)-2-propenal, 345
2-(diethoxyphosphinyl)-5,5-dimethoxyhexanenitrile, for dimethanoretinal, 92
dimerization, 2-ethynyl-1-methylpyrrole, Cu-catalyzed, 529
dimethanoretinal, 92
1,3,2,4-dioxadithiane 2,2,4,4-tetraoxides, 49, 188; from SO_3 + alkenoic acids, 478; from –phenylalkenes, 389
dioxaphosphorinane oxide hydroxide, ephedrine salt, 111, 414
dioxime methyl ethers, 41; photochemistry, 79
1,3-dioxolan-4-ones, from α-hydroxy acids, 129
diprenorphine, ethenoisomorphinan analog, 119
diynes, from Cu-catalyzed oxidative dimerization of acetylenes, 529
D–U model, SCANCHEM (CAOS), 255
electron delocalization, in CAOS synthesis design, 262
electron deficiency, boron and carbon clusters, book, 496
electronic control of face selection, review, 199
electronic structure, *o*- and *p*-benzoquinones, 438
enantiomeric excess, see chirality
enantioselectivity, for 2-azetidinones, 497; ester cleavage by histidine-contg. peptides, 459; in Pd-catalyzed alkylation, 161; sultones, carbyl sulfates, ring opening, 188; synthesis, book, 457
enzymes, carboxylesterase NP for ester hydrolysis, 490
ephedrine, cyclic phosphates, crystal packing and molecular mechanics, 111, 414
epoxides, see oxiranes
equilibration, β-sultones, 389
EROS, CAOS synthesis design, 270
erythronolide, CAOS synthesis design, 297
ester cleavage, by histidine-contg. peptides, enantioselectivity, 459
ester hydrolysis, by carboxylesterase NP, 490
estrone, CAOS synthesis design by LHASA, 310
ethenoisomorphinans, 119
ethylene oxides, see oxiranes
ethyleneamine, see aziridine
2,3-(ethylenedioxy)naphthalenes, + SO_3, 499
2-ethynyl-1-methylpyrrole, Cu-catalyzed oxidative dimerization, 529
E–Z isomerization, α-bis(methoxyimino)alkanes, 79
face selection, electronic control, review, 199
face-selective cycloaddition, to ethenoisomorphinans, 119
fast protein liquid chromatography (FPLC), in oligodeoxynucleotides, solid-phase synthesis, 99
Felkin, model of electronic control of face selection, review, 199
flavin, in polyelectrolytes, thesis, 197
fluorescence, fluoroprobe, charge transfer, 507
fluoromethoxy)benzenes, (di– or tri–, + SO_3, 215
fluoroprobe, fluorescence, charge transfer, 507
phosphines, functionalized, thesis, 235
FPLC, see fast protein liquid chromatography,
Fujita, reaction description in CAOS, 323
fullerene (C_{60}), Buckminster, encapsulated by calix[8]arene, 531
fullerenes, book, 413
functionalized phosphines, thesis, 235
geometry, bis(methoxyimino)alkanes, 41, 79
germination stimulant, strigol-A analogs, 155
glucose, for chiral 4-pyrazolol, 427; L derivs. from D-glucose, 524
L-glutamic acid, labeled, 517
glycerol peptide, dimyristoyl–, 222
glycinamides, α-methoxy–, Lewis-acid-induced reactions, 360
glycosidation, phenyl selenoglycosides, 365
GLYMO, (3-glycidyloxypropyl)trimethoxysilane,immobilization on silica, 371
Grignard reaction, (silylmethyl)magnesium reagent for glucose derivs., 524
Group VIIB transition element, Tc complex, 105
group-similar interferences, CAOS, 297
guanosines, 6-*O*-alkyl–, in oligodeoxynucleotides, 227
***N*-halogenation,** 2-aziridinecarboxylic esters, 75
handedness, see chirality
hard–soft acid–base theory, alkylthebaines, 119
Hendrickson, reaction description in CAOS, 323
Hepp, heptopyranoside in trisaccharides, 144
heptopyranoside, in trisaccharides, 144
heterocyclic chemistry, book, 198
heteropolyacids (HPAs), α-pinene oxide, catalyzed isomerization, 432
1,3,5-hexatrienes, conformation, 138
1-hexene, 6-phenyl–, sulfonation, 389
high pressure, in organic chemistry, book, 236
high-pressure liquid chromatography, in isocyanates + carboxylic acids, 88
histidine, enantioselective ester cleavage by histidine-contg. peptides, 459
Horner–Emmons reaction, for labeled retinal, 149
host–guest chemistry, C_{60} encapsulated by calix[8]arene, 531; calix[4]arenes, 353, 415, 421, 511
HPAs, see heteropolyacids
HPLC, see high-pressure liquid chromatography
hydrazine, for chiral 4-pyrazolol, 427
hydrolysis, ester –, by carboxylesterase NP, 490
hydroperoxide, cyclohexyl –, decompn. by metalloporphyrins, thesis, 160
hydrophobic effect, benzylammonium ions, dissociation, 22
α-hydroxy acids, alkylation catalyzed by Pd, 129; chiral –, thesis, 160
α-hydroxy carboxylic esters, β-amino, from 2-oxiranecarboxylic esters, 69
hydroxylamine, *N,O*-dimethyl, for labeled retinal, 149
hydroxymethylation, to heptopyranoside, 144
hyperconjugation, in electronic control of face selection, review, 199
ibuprofen, hydrolysis by carboxylesterase NP, 490
imidazole, 2-aziridinecarboxylic ester, ring cleavage, 59
indanesulfonic acids, from SO_3 + –phenylalkenes, 389
indanylidene aldehydes, dimethanoretinal, 92
indole, + 2-aziridinecarboxylic esters, 16
infrared spectra, see IR
inositols, phosphatidyl–, 192
intramolecular sulfonation, [2.2]paracyclophane, 379
iodine, acetalation catalyst, 348
iodonium-ion-assisted condensation, for phosphatidylinositols, 192
iodonium-mediated glycosidation, phenyl selenoglycosides, 365
ion exchange, metal ions on pyrazole/silica, 371
β-ionone, for dimethanoretinal, 92
iron(III)-exchanged sepiolites, single-electron acceptor or Lewis acid, 126
IR, diffuse-reflectance Fourier-transform (DRIFT), pyrazole/silica, 371; organophosphorus, book, 496
isocyanates, + carboxylic acids, 88
20-isocyanopregnanes, 20-sulfonyl–, for 20-oxo steroids, 469
isomerization, see also E–Z isomerization; methoxynaphthalenesulfonic acids, 499; α-pinene oxide, 432
isopropylidenation, carbohydrates + acetone, 348
isotopomers, see labeling
isoxazoles, book, 369
isoxazolines, (methoxyimino)–, 41, 79
kinase C, inhibition, 222
kinetics, benzylammonium ions, dissociation, 22; cobalamine Co–C cleavage, 178; isocyanates + carboxylic acids, 88
knowledge acquisition, CAOS synthesis design, 291
knowledge base, see database
labeling, methanoretinal, 29; L-proline and L-glutamic acid, 517; retinal, 149
β-lactams, enantioselective synthesis, 497
lactic acid, alkylation catalyzed by Pd, 129
τ-lactones, from SO_3 + alkenoic acids, 478
lattice energy, ephedrine cyclic phosphates, 111, 414
lead tetraacetate, for 20-oxo steroids, 469
Lewis acid, sepiolites, 126
Lewis-acid-induced reactions, α-methoxyglycinamides, 360
LHASA, CAOS, 304, 310; CAOS synthesis-design program, 297
Lilith, CAOS synthesis-design program, 297
lipo oligosaccharides, highly unsaturated fatty acid derivs., 367
lipopeptide, 222
liquid ammonia, see ammonia
liquid chromatography, chirality, book, 370
lithium, [(benzyloxy)methyl]–, for L-glucose derivs., 524
lithium, in P–C cleavage, 170
locking, in dimethanoretinal, 92
macrocycles, metallo–, molecular recognition, thesis, 235; molecular recognition, 421
macromolecules, see polymers, peptides, proteins, nucleic acids
magnesium, see Grignard
mandelic acid, alkylation catalyzed by Pd, 129
mapping, see also CAOS; starting material on target compd. using COSYMA, 310; starting material on target compd. using LHASA, 310
mass spectrometry (MS), in biology, book, 533; dimethanoretinal, 92
mathematics, in CAOS, 262
mechanism, alkenoic acids, sulfonation, 478; α-bis(methoxyimino)alkanes, photochemistry, 79; cobalamine Co–C cleavage, 178; enantioselective ester cleavage by histidine-contg. peptides, 459; glucose + hydrazine for chiral 4-pyrazolol, 427; isocyanates + carboxylic acids, 88; membrane transport, book, 456; organic reactions, book, 413; α-pinene oxide, catalyzed isomerization, 432; P–C cleavage, 170; SO_3 + anisole, phenol, toluene, 183; SO_3 + –phenylalkenes, 389; SO_3 + styrene, 49; SO_3 + [2.2]paracyclophane, 379; sultones and carbyl sulfates, ring opening, 188
membrane transport, book, 456
metal ions, adsorption on pyrazole/silica, 371
metalloclefts, binaphthyl, molecular recognition, thesis, 235; molecular recognition, 415
metallomacrocycles, molecular recognition, thesis, 235; molecular recognition, 415
metalloporphyrins, cyclohexyl hydroperoxide decompn., thesis, 160
metalloreceptors, molecular recognition, 421
methanoretinal, 29, 92
α-methoxyglycinamides, Lewis-acid-induced reactions, 360
α-bis(methoxyimino)alkanes, photochemistry, 79; UV, 41
methoxynaphthalenes, (di)–, + SO_3, 499
(methylenedioxy)benzenes, ring opening by PrS^-, 448
methylthiomethylation, for phosphatidylinositols, 192
methyl]lithium, [(benzyloxy)–, for L-glucose derivs., 524
mitomycin, 402
mitosenes, 402
MO (molecular orbital), see quantum chemistry
molecular mechanics, on 1,3,5-hexatrienes, 138; binaphthyl metalloclefts, 415; metalloreceptors, 421
molecular modeling, ephedrine cyclic phosphates, 111, 414
molecular recognition, by binaphthyl metalloclefts, 415; by metallomacrocycles and metalloclefts, thesis, 235; by metalloreceptors, 421
MS, see mass spectrometry
myristoylglycerol peptide, di–, 222
Naed, 2-(3,5-dimethyl-1-pyrzolyl)ethylamine, immobilization on silica, 371
naphthalenes, (di)methoxy–, + SO_3, 499
naphthalenesulfonic acids, tetrahydro–, from SO_3 + –phenylalkenes, 389
naphthyl)methylene]piperidine, 4-[(1-phenyl-4-cyano-1–, fluorescence, charge transfer, 507
naproxen, hydrolysis by carboxylesterase NP, 490
natural products, chemistry, book, 455
nickel, aromatic nucleophilic substitutions, catalysis, thesis, 414
nitrenes, from *o*- and *p*-benzoquinone oxime methyl ethers, 438

nitrile, 2-(diethoxyphosphinyl)-5,5-dimethoxyhexane–, for dimethanoretinal, 92
nitro-, nitrosofluoranthenes, 335
nitrosopyrenes, 335
NMR, ^{1}H, alkenoic acids, sulfonation, 478; (3-aminopropyl)triethoxysilane, 451; *o*- and *p*-benzoquinones, 438; binaphthyl metalloclefts, 415; dimethanoretinal, 92; nitro-, nitroso-, amino-fluoranthenes, 335; 1,3,5-hexatrienes, 138; metalloreceptor–barbiturate complexation, 421; methanoretinal, 29; L-proline and L-glutamic acid, 517; SO_3 + styrene, 49; SO_3 + –phenylalkenes, 389
NMR, ^{13}C, dimethanoretinal, 92; nitro-, nitroso-, amino-fluoranthenes, 335; 1,3,5-hexatrienes, NOE, 138; methanoretinal, 29; L-proline and L-glutamic acid, 517; solid-state CP MAS of pyrazole/silica, 371
NMR, ^{15}N, L-proline and L-glutamic acid, 517
NMR, ^{29}Si, solid-state CP MAS of pyrazole/silica, 371
NMR, one- and two-dimensional NMR, book, 110
NOE (nuclear Overhauser effect), see NMR
nomenclature, organic compounds, book, 236
$NOPF_6$, + $Tc_2(CO)_{10}$, 105
norbornanone, in electronic control of face selection, review, 199
5-norbornene-2,3-dicarboxylic anhydride β-sultone, 478
norcamphor, in electronic control of face selection, review, 199
nuclear magnetic resonance, see NMR
nuclear Overhauser effect (NOE), see NMR
nucleophiles, + sultones, carbyl sulfates, 188
nucleophilic ring opening, (methylenedioxy)benzenes, by PrS^-, 448
nucleotides, oligodeoxy–, solid-phase synthesis, 99, 227
octadecatetraenoic acid, lipo oligosaccharide derivs., 367
oligodeoxynucleotides, solid-phase synthesis, 99, 227
oligopeptides, see peptides
oligosaccharides, lipo –, highly unsaturated fatty acid derivs., 367
opium alkaloids, alkylthebaines, 119
optical activity, see chirality
optical probe, fluoroprobe, charge transfer, 507
organic reaction mechanisms, book, 413
organic reactions, vol. 40, book, 238
organic synthesis, CAOS, review, 239; vol. 68, book 109; vol. 69, book, 457
organophosphorus, IR spectra, book, 496
1,2-oxathietanes, 49, 188
1,3,2-oxazaborolidin-5-ones, from 2-aziridinecarboxylic esters, 211
oxazaphospholidines, 1
2-oxazoline-5-carboxylic esters, from 2-oxiranecarboxylic esters, 69
oxime methyl ethers, 41; photochemistry, 79
oximes, UV and photochemistry of *o*- and *p*-benzoquinone – methyl ethers, 438
2-oxiranecarboxylic esters, to β-amino α-hydroxy carboxylic esters, 69
oxiranes, 2-aziridinecarboxylic esters, 1
20-oxo steroids, 469
PAHs, see polycyclic aromatic hydrocarbons
palladium, alkylation catalysis, 129, 161; aromatic nucleophilic substitutions, catalysis, thesis, 414; CO insertion in Pd–C, thesis, 414
[2.2]paracyclophane, sulfonation, 379
1-pentene, 5-phenyl–, sulfonation, 389
peptides, enantioselective ester cleavage by histidine-contg. peptides, 459
perturbation, in 1,3,5-hexatrienes, 138
phenol, + SO_3, 183
phenyl acetate, + SO_3, 215
phenylalanine, derivs. from 2-aziridinecarboxylic esters, 16
–phenylalkenes, sulfonation, 389
phosphates, ephedrine cyclic –, 111, 414
phosphatidylinositols, 192
phosphine, triphenyl–, for 2-aziridinecarboxylic esters, 1
phosphines, functionalized –, thesis, 235; P–C cleavage, 170
phosphinyl)-5,5-dimethoxyhexanenitrile, 2-(diethoxy–, for dimethanoretinal, 92
phosphinyl)pyrrolidines, 2-(diphenyl–, for mitosenes, 402
phosphite triester approach, for oligodeoxynucleotides, 227
phospholene oxides, in isocyanates + carboxylic acids, catalysis, 88
phosphono)hexadienoic acid, 6-(diethyl–, for octadecatetraenoic acid, 367
photochemistry, *o*- and *p*-benzoquinones, 438; α-bis(methoxyimino)alkanes, 79; dimethanoretinal, 92; steroidal β,τ-unsaturated ketones, thesis, 197
photolabeling, for sparsomycins, 163
photolysis, α-acetoxystyrenes on sepiolites, 126
picrates, calix[4]arene as receptor for –, 511
α-pinene oxide, isomerization, 432
piperidine, 4-[(1-phenyl-4-cyano-1-naphthyl)methylene]–, fluorescence, charge transfer, 507
platinum, CO insertion in Pt–C, thesis, 414
polarity control, for synthesis, book, 237
polycyclic aromatic hydrocarbons (PAHs), nitro-, nitroso-, amino-fluoranthenes, 335
polyelectrolytes, contg. flavin, thesis, 197
polymer-supported synthesis, see solid-phase synthesis
population distribution, (3-aminopropyl)triethoxysilane conformers, 451
porphyrins, cyclohexyl hydroperoxide decompn., thesis, 160
posphite triester method, in oligodeoxynucleotides, solid-phase synthesis, 99
prediction, reactions by CAOS, 270; review, 239
pregnanes, 20-isocyano-20-sulfonyl–, for 20-oxo steroids, 469
pressure, high, in organic chemistry, book, 236
pressure, in cobalamine Co–C cleavage, 178
L-proline, labeled, 517
1,3-propanediol, (R)(+)-1-(2-chlorophenyl)-2,2-dimethyl–, in Pd-catalyzed alkylation, 161
propanethiolate, (methylenedioxy)benzenes, ring opening by –, 448
propenal, 3-(toluenesulfonyl)-2–, Diels–Alder reaction, 345
1-propene, 3-phenyl–, sulfonation, 389
propionates, 2-aryl- and 2-(aryloxy)–, hydrolysis by carboxylesterase NP, 490
propynal, equivalent, 345
protective groups, in organic synthesis, book, 455
protein kinase C, inhibition, 222
proteins, sparsomycin, inhibiting synthesis, 163
proton-pump action, in methanoretinal, 29
pyrazole ligands, on silica, 371
4-pyrazolol, chiral derivs., 427
pyrenes, nitroso–, 335
pyrimidine, synthesis of deriv. using COSYMA (CAOS), 317
L-pyroglutamic acid, labeled, 517
pyrrole, 2-ethynyl-1-methyl–, Cu-catalyzed oxidative dimerization, 529
pyrrolidines, 2-(diphenylphosphinyl)–, for mitosenes, 402
2-pyrrolidinones, 3-amino–, from α-methoxyglycinamides, 360
pyrrolo[1,2-a]indole, in mitosenes, 402
pyrrylium BF_4, triphenyl–, photosensitizer for α-acetoxystyrenes on sepiolites, 126
quantum chemistry, *o*- and *p*-benzoquinones, 438; on 1,3,5-hexatrienes, 138; in electronic control of face selection, review, 199; methoxynaphthalenesulfonic acids, 499
quinolines, book, 369
quinone, 2-methoxy-3-methylbenzo–, for mitosenes, 402
quinones, UV and photochemistry of *o*- and *p*-benzo–, 438
radioactivity, Tc complex, 105
RAIN2, CAOS synthesis design, 262
reaction description, CAOS, 323
reaction generation, see CAOS and synthesis design
reaction matrices, CAOS synthesis design, 262
reaction mechanism, see mechanism
reaction retrieval, CAOS, review, 239
reactivity analysis, CAOS, 297
receptors, molecular –, see host–guest chemistry
regioselectivity, in oxidative addition to quinones, 402; in Pd-catalyzed alkylation, 161
relaxation rate, in 1,3,5-hexatrienes, 138
resolution, 111, 414
resolving agents, 111, 414
retinal, dimethano–, 92
retinal, methano–, 29
retinal, labeled, 149
retrieval of reactions, CAOS, review, 239
retrosynthetic search, CAOS, 270; LHASA, 304, 310
reviews, see also book reviews; electronic control of face selection, 199; CAOS synthesis design, computer tools, 239
ribofuranosylcobalamin, coenzyme B_{12}, acid-induced decompn., 411
ribosome, sparsomycin binding, 163
rigidification, in dimethanoretinal, 92
ring opening, 2-aziridinecarboxylic esters, 16, 59; methylenedioxy)benzenes, by PrS^-, 448; sultones, carbyl sulfates, 188
Rodd's chemistry, aliphatic compds., book, 237
rotamers, 1,3,5-hexatrienes, 138
saccharides, see carbohydrates
salen, UO2 complexes, 421
salophene, UO2 complex, 415
SAR, see structure–activity relationship
SCANCHEM, CAOS, 255
search, CAOS synthesis design, 255
selenoglycosides, glycosidation, 365
sensor, fluorescence, fluoroprobe, charge transfer, 507
sepiolites, single-electron acceptor or Lewis acid, 126
Sharpless oxidation, 2-aziridinecarboxylic esters, 1
sigma values, benzylammonium ions, dissociation, 22
silane, (3-aminopropyl)triethoxy–, ^{1}H NMR, 451
silica, adsorption of metal ions by pyrazole/silica, 371
silicotungstic acid, α-pinene oxide, catalyzed isomerization, 432
silyl enol ethers, + α-methoxyglycinamides, 360
silyl ketene acetal, methoxyglycinamides + silyl enol ethers, 360
silyl)methyl]magnesium chloride, [(phenyldimethyl–, for L-glucose derivs., 524; for heptopyranoside, 144
simulation of organic reactions, structure elucidation, book, 370
single-electron acceptors, sepiolites, 126
SiS (silica), adsorption of metal ions by pyrazole/silica, 371
SO_3, see sulfur trioxide
sodium, in P–C cleavage, 170
solid-phase synthesis, lipopeptide, 222; oligodeoxynucleotides, 227, 99
solution space, CAOS synthesis design, 255
solvent effect, SO_3 + anisole, phenol, toluene, 183
sparsomycin, derivs., 163
stereochemistry, alkenoic acids, sulfonation, 478; 2-azetidinones, enantioselective synthesis, 497; face selection, electronic control, review, 199; selective Grignard reaction for glucose derivs., 524
steroids, 20-oxo, 469; β,τ-unsaturated ketones, thesis, 197
STOECH, CAOS synthesis design, 262
strigol, A-ring analogs, 155
structure elucidation, simulation of organic reactions, book, 370
structure–activity relationship (SAR), sparsomycin, 163
styrene, + SO_3, 49
styrenes, α-acetoxy–, on sepiolites, 126
***trans*-3-styryl-2-azetidinones,** enantioselective synthesis, 497
substituent effect, benzylammonium ions, dissociation, 22, 22
sugars, see carbohydrates
sulfo-lactonization, alkenoic acids, 478
sulfonation, alkenoic acids, 478; anisole, phenol, toluene, 183; (di)methoxynaphthalenes, 499; [2.2]paracyclophane, 379; phenyl acetate, (di- or trifluoromethoxy)benzenes, 215; –phenylalkenes, 389; styrene, 49
sulfonic acids, from β-sultones, 188
N-sulfonyl-2-aziridinecarboxylic esters, 59
20-sulfonylpregnanes, 20-isocyano–, for 20-oxo steroids, 469
sulfoxides, chloromethyl –, for sparsomycins, 163
sulfur trioxide, + anisole, phenol, toluene, 183; + (di)methoxynaphthalenes, 499; + [2.2]paracyclophane, 379; + phenyl acetate, (di- or trifluoromethoxy)benzenes, 215; + styrene, 49
β-sultones, 49, 188; from SO_3 + alkenoic acids, 478; from SO_3 + –phenylalkenes, 389
Sumimoto program, CAOS synthesis design, 291
supramolecular chemistry, see host–guest chemistry

SYNLIB, chemical-database system, 247
synthesis design in CAOS, 255; review, 239; overview, 270, 291; competing concepts, 262; COSYMA, 317; erythronolide, 297; LHASA, 310; reaction description, 323; structure elucidation and simulation of organic reactions, book, 370; SYNLIB, 247; transform utilities, LHASA, 304
SYNthesis LIBrary, chemical-database system, 247
tantalum, alkylidene coordination, thesis, 235
technetium, di- and tricarbonyl complexes, 105
tetrahedral carbon, in electronic control of face selection, review, 199
thebaines, alkyl–, 119
theoretical organic chemistry, book, 109
thermochemistry, cobalamine Co–C cleavage, 178
thermochromism, fluoroprobe, charge transfer, 507
thermodynamics, benzylammonium ions, dissociation, 22
theses, amino-acid derivatives, 160; calixarenes, conformation, 197; calix[4]-arenes, 235; chiral α-substitued α-hydroxy acids, 160; CO insertion in Pd–C, 414; cyclohexyl hydroperoxide, decompn. by metalloporphyrins, 160; flavin-containing polyelectrolytes, 197; metallomacrocycles- and metalloclefts-recognizing molecules, 235; oxidation of carbohydrates using noble-metal catalysts, 160; phosphines, functionalized, 235; steroidal β,τ-unsaturated ketones, 197; tantalum alkylidene coordination, 235; transition-metal-catalyzed aromatic nucleophilic substitutions, 414
thiolate, propane–, (methylenedioxy)benzenes, ring opening by PrS^-, 448
thymidine, 4-alkoxy–, in oligodeoxynucleotides, solid-phase synthesis, 99
tin(II) chloride, in reduction to β-amino α-hydroxy carboxylic esters, 69
3-(toluenesulfonyl)-2-propenal, Diels–Alder reaction, 345
toluene, + SO_3, 183
topology, book, 109
transform utilities, LHASA (CAOS), 304
transition metals, aromatic nucleophilic substitutions, catalysis, thesis, 414; Tc complex, 105
transport, in membranes, book, 456
1,4,7-triazacyclononane, Tc complex, 105
4-(1,2,4-triazolyl)thymidine, in oligodeoxynucleotides, solid-phase synthesis, 99
triethoxysilane, (3-aminopropyl)–, ^{1}H NMR, 451
trifluoromethanesulfonation, for phosphatidylinositols, 192
trigonal carbon, in electronic control of face selection, review, 199
triphenylphosphine, for 2-aziridinecarboxylic esters, 1
triphenylpyrrylium BF_4, photosensitizer for α-acetoxystyrenes on sepiolites, 126
triplet photosensitation, α-bis(methoxyimino)alkanes, 79
1,4,7-trithiacyclononane, Tc complex, 105
tryptophan, derivs. from 2-aziridinecarboxylic esters, 16, 59
tungstic acid, silico–, α-pinene oxide, catalyzed isomerization, 432
Ugi, reaction description in CAOS, 323
unsaturated fatty acids, lipo oligosaccharide derivs., 367
uracilacryloyl, in sparsomycin, 163
uranyl, binaphthyl metalloclefts, 415; metalloreceptor, 421
UV, *o*- and *p*-benzoquinones, 438; Buckminster fullerene (C_{60}) encapsulated by calix[8]arene, 531; dimethanoretinal, 92; nitro-, nitroso-, amino-fluoranthenes, 335; bis(methoxyimino)alkanes, 41
vinylbenzene, + SO_3, 49
vinyl sulfone, 345
wide-angle X-ray diffraction (WAXD), fluoroprobe, charge transfer, 507
WODCA, CAOS synthesis design, 270
X-ray analysis, see crystal structure
X-ray diffraction (WAXD), fluoroprobe, charge transfer, 507
zeolites, α-pinene oxide, catalyzed isomerization, 432
zinc chloride, α-pinene oxide, catalyzed isomerization, 432
zinc enolates, in enantioselective synthesis of 2-azetidinones, 497